ELSEVIER

Biochimica et Biophysica Acta 1190 (1994) 477–480

BBA Biochimica et Biophysica Acta

Author Index

Alonso-Romanowski, S., see Arias, H.R. (1190) 393
Anner, B.M., see Hussain, S. (1190) 402
Antunes-Madeira, M.C., Videira, R.A. and Madeira, V.M.C.
Effects of parathion on membrane organization and its implications for the mechanisms of toxicity (1190) 149
Arbuzova, A., Korte, T., Müller, P. and Herrmann, A.
On the validity of lipid dequenching assays for estimating virus fusion kinetics (1190) 360
Arese, P., see Turrini, F. (1190) 297
Arias, H.R., Alonso-Romanowski, S., Disalvo, E.A. and Barrantes, F.J.
Interaction of merocyanine 540 with nicotinic acetylcholine receptor membranes from *Discopyge tschudii* electric organ (1190) 393
Asami, K. and Takashima, S.
Membrane admittance of cloned muscle cells in culture: use of a micropipet technique (1190) 129
Askari, A., see Huang, W.-h. (1190) 108

Backlund, B.-M., Wikander, G., Peeters, T.L. and Gräslund, A.
Induction of secondary structure in the peptide hormone motilin by interaction with phospholipid vesicles (1190) 337
Bailey, P.D., see Helliwell, P.A. (1190) 430
Ballarin-Denti, A., Slayman, C.L. and Kuroda, H.
Small lipid-soluble cations are not membrane voltage probes for *Neurospora* or *Saccharomyces* (1190) 43
Ballarin-Denti, A., see Slayman, C.L. (1190) 57
Bamberg, K., Nylander, S., Helander, K.G., Lundberg, L.G., Sachs, G. and Helander, H.F.
In situ hybridization of mRNA for the gastric H^+, K^+-ATPase in rat oxyntic mucosa (1190) 355
Barber, K.R., Hamilton, K.S., Rigby, A.C. and Grant, C.W.M.
Behaviour of complex oligosaccharides at a bilayer membrane surface: probed by ^{2}H-NMR (1190) 376
Barrantes, F.J., see Arias, H.R. (1190) 393
Bassé, F., Gaffet, P. and Bienvenüe, A.
Correlation between inhibition of cytoskeleton proteolysis and anti-vesiculation effect of calpeptin during A23187-induced activation of human platelets: are vesicles shed by filopod fragmentation? (1190) 217
Belágyi, J., Török, B. and Pótó, L.
Free radical reactions of MTDQ and its effect on biological membrane (1190) 123
Belehradek Jr., J., Orlowski, S., Ramirez, L.H., Pron, G., Poddevin, B. and Mir, L.M.
Electropermeabilization of cells in tissues assessed by the qualitative and quantitative electroloading of bleomycin (1190) 155
Béliveau, R., see Delisle, M.-C. (1190) 289
Béliveau, R., see Milner, H.E. (1190) 185
Bianco, I.D., see Maggio, B. (1190) 137
Bienvenüe, A., see Bassé, F. (1190) 217
Bikle, D.D., see Kaune, R. (1190) 329
Bittman, R., see Slotte, J.P. (1190) 435
Blazer-Yost, B.L., see Coupaye-Gerard, B. (1190) 449
Boyd, C.A.R., see Helliwell, P.A. (1190) 430
Boyer, C., see Delisle, M.-C. (1190) 289
Boyer, C.S., Neve, E.P.A., Moore, G.A. and Moldéus, P.
Effect of mitochondrial protein concentration on the efficiency of outer membrane removal by the cholesterol-selective detergent digitonin (1190) 304
Brandenburg, K., see Wiese, A. (1190) 231
Brezesinski, G., see Meyer, H.W. (1190) 9
Briere, K., see Hamilton, K.S. (1190) 367
Bronk, J.R., see Helliwell, P.A. (1190) 430
Buiting, A.M.J., see Litzinger, D.C. (1190) 99
Butko, P., see Hapala, I. (1190) 40
Butterworth, P.J., see Younus, M.J. (1190) 444

Cappadoro, M., see Turrini, F. (1190) 297
Chiou, J.-S., see Ueda, I. (1190) 421
Coupaye-Gerard, B., Kim, H.J., Singh, A. and Blazer-Yost, B.L.
Differential effects of brefeldin A on hormonally regulated Na^+ transport in a model renal epithelial cell line (1190) 449

De Arcuri, B.F., see Pedersen, J.Z. (1190) 177
Del Castillo-Olivares, A., see Medina, M.A. (1190) 20
Delisle, M.-C., Boyer, C., Vachon, V., Giroux, S. and Béliveau, R.
Immunodetection and characterization of proteins implicated in renal sodium/phosphate cotransport (1190) 289
Demel, R., Lindblom, G. and Rilfors, L.
Packing of a triacylglucolipid from the membrane of *Acholeplasma laidlawii* strain A at the air/water interface (1190) 416
Disalvo, E.A., see Arias, H.R. (1190) 393

Ebel, H., see Wagner, S. (1190) 309
Ehrenfeld, J., see Ratcliff, F.G. (1190) 248

Fidelio, G.D., see Maggio, B. (1190) 137
Foucher, B., see Lançar-Benba, J. (1190) 213
Francoeur, M.L., see Ongpipattanakul, B. (1190) 115
Furukawa, Y., Tamura, H.-o. and Ikezawa, H.
Mutational analysis of the COOH-terminal hydrophobic domain of bovine liver 5′-nucleotidase as a signal for glycosylphosphatidylinositol (GPI) anchor attachment (1190) 273

Gaffet, P., see Bassé, F. (1190) 217
Ganjeizadeh, M., see Huang, W.-h. (1190) 108
Gavino, G.R., see Paiement, J. (1190) 199
Gavino, V.C., see Paiement, J. (1190) 199
Gerzaničová, G., see Hapala, I. (1190) 40
Giribaldi, G., see Turrini, F. (1190) 297
Giroux, S., see Delisle, M.-C. (1190) 289
Golovina, E.A. and Tikhonov, A.N.
The structural differences between the embryos of viable and nonviable wheat seeds as studied with the EPR spectroscopy of lipid-soluble spin labels (1190) 385
Gómez-Fernández, J.C., see López-García, F. (1190) 264
Gottwald, S., see Koelsch, R. (1190) 170
Gräf, R., Harvey, W.R. and Wieczorek, H.
Cloning, sequencing and expression of cDNA encoding an insect V-ATPase subunit E (1190) 193

Granot, Y., see Margalit, A. (1190) 173
Grant, C.W.M., see Barber, K.R. (1190) 376
Grant, C.W.M., see Hamilton, K.S. (1190) 367
Gräslund, A., see Backlund, B.-M. (1190) 337
Gulik, A., see Santaella, C. (1190) 25
Gulik-Krzywicki, T., see Santaella, C. (1190) 25

Hägerstrand, H. and Isomaa, B.
Lipid and protein composition of exovesicles released from human erythrocytes following treatment with amphiphiles (1190) 409
Hall, M.P. and Huestis, W.H.
Phosphatidylserine headgroup diastereomers translocate equivalently across human erythrocyte membranes (1190) 243
Hamilton, K.S., Briere, K., Jarrell, H.C. and Grant, C.W.M.
Acyl chain length effects related to glycosphingolipid crypticity in phospholipid membranes: probed by ^{2}H-NMR (1190) 367
Hamilton, K.S., see Barber, K.R. (1190) 376
Hapala, I., Hunáková, B., Gerzaničová, G. and Butko, P.
Specific changes in nucleotide and lipid synthesis are linked to growth defects in intramitochondrial energy-depleted yeast cells (1190) 40
Harvey, W.R., see Gräf, R. (1190) 193
Hashimoto, A., see Sugawara, M. (1190) 85
He, K., see Ludtke, S.J. (1190) 181
Hehl, S., Moser, C., Weik, R. and Neumcke, B.
Internal Ca^{2+} ions inactivate and modify ATP-sensitive potassium channels in adult mouse skeletal muscle (1190) 257
Helander, H.F., see Bamberg, K. (1190) 355
Helander, K.G., see Bamberg, K. (1190) 355
Helliwell, P.A., Meredith, D., Boyd, C.A.R., Bronk, J.R., Lister, N. and Bailey, P.D.
Tripeptide transport in rat lung (1190) 430
Heřman, P., Konopásek, I., Plášek, J. and Svobodová, J.
Time-resolved polarized fluorescence studies of the temperature adaptation in *Bacillus subtilis* using DPH and TMA-DPH fluorescent probes (1190) 1
Herrmann, A., see Arbuzova, A. (1190) 360
Hirsch, A., see Wiese, A. (1190) 231
Hitomi, K. and Tsukagoshi, N.
cDNA sequence for rkST1, a novel member of the sodium ion-dependent glucose cotransporter family (1190) 469
Huang, H.W., see Ludtke, S.J. (1190) 181
Huang, L., see Litzinger, D.C. (1190) 99
Huang, W.-h., Wang, Y., Askari, A., Zolotarjova, N. and Ganjeizadeh, M.
Different sensitivities of the Na^+/K^+-ATPase isoforms to oxidants (1190) 108
Huestis, W.H., see Hall, M.P. (1190) 243
Hunáková, B., see Hapala, I. (1190) 40
Hussain, S., Meneghini, E., Moosmayer, M., Lacotte, D. and Anner, B.M.
Potent and reversible interaction of silver with pure Na,K-ATPase and Na,K-ATPase-liposomes (1190) 402

Ikezawa, H., see Furukawa, Y. (1190) 273
Iseki, K., see Sugawara, M. (1190) 85
Ishii, T., see Yu, H. (1190) 189
Isomaa, B., see Hägerstrand, H. (1190) 409
Itaya, E., see Nakamura, T. (1190) 465

Jacobsen, C., see Jessen, H. (1190) 279
Jarrell, H.C., see Hamilton, K.S. (1190) 367
Jarvis, S.M., see Milner, H.E. (1190) 185
Jessen, H., Røigaard, H., Riahi-Esfahani, S. and Jacobsen, C.
A comparative study on the uptake of α-aminoisobutyric acid by normal and immortalized human embryonic kidney cells from proximal tubule (1190) 279
Jouhal, K., see Younus, M.J. (1190) 444
Jungner, M., see Slotte, J.P. (1190) 435

Kamaya, H., see Ueda, I. (1190) 421
Kaune, R., Munson, S. and Bikle, D.D.
Regulation of calmodulin binding to the ATP extractable 110 kDa protein (myosin I) from chicken duodenal brush border by 1,25-$(OH)_2D_3$ (1190) 329
Kim, H.J., see Coupaye-Gerard, B. (1190) 449
Kobayashi, M., see Sugawara, M. (1190) 85
Koelsch, R., Gottwald, S. and Lasch, J.
Release of GPI-anchored membrane aminopeptidase P by enzymes and detergents has some peculiarities (1190) 170
Komano, Y., see Nakamura, T. (1190) 465
Konopásek, I., see Heřman, P. (1190) 1
Korte, T., see Arbuzova, A. (1190) 360
Krishna, P.R., see Ueda, I. (1190) 421
Kuroda, H., see Ballarin-Denti, A. (1190) 43
Kuroda, H., see Slayman, C.L. (1190) 57

Lacotte, D., see Hussain, S. (1190) 402
Lançar-Benba, J., Foucher, B. and Saint-Macary, M.
Purification of the rat-liver mitochondrial dicarboxylate carrier by affinity chromatography on immobilized malate dehydrogenase (1190) 213
Lasch, J., see Koelsch, R. (1190) 170
Lavoie, C., see Paiement, J. (1190) 199
Lindblom, G., see Demel, R. (1190) 416
Lister, N., see Helliwell, P.A. (1190) 430
Litzinger, D.C., Buiting, A.M.J., Van Rooijen, N. and Huang, L.
Effect of liposome size on the circulation time and intraorgan distribution of amphipathic poly(ethylene glycol)-containing liposomes (1190) 99
Loe, D.W. and Sharom, F.J.
Interaction of multidrug-resistant Chinese hamster ovary cells with the peptide ionophore gramicidin D (1190) 72
López-García, F., Villalaín, J. and Gómez-Fernández, J.C.
Diacylglycerol, phosphatidylserine and Ca^{2+}: a phase behavior study (1190) 264
Louro, S.R.W., Nascimento, O.R. and Tabak, M.
Charge- and pH-dependent binding sites for dibucaine in ionic micelles: a fluorescence study (1190) 319
Ludtke, S.J., He, K., Wu, Y. and Huang, H.W.
Cooperative membrane insertion of magainin correlated with its cytolytic activity (1190) 181
Lundberg, L.G., see Bamberg, K. (1190) 355

Maccarrone, M., Van Aarle, P.G.M., Veldink, G.A. and Vliegenthart, J.F.G.
In vitro oxygenation of soybean biomembranes by lipoxygenase-2 (1190) 164
Madeira, V.M.C., see Antunes-Madeira, M.C. (1190) 149
Maggio, B., Bianco, I.D., Montich, G.G., Fidelio, G.D. and Yu, R.K.
Regulation by gangliosides and sulfatides of phospholipase A_2 activity against dipalmitoyl- and dilauroylphosphatidylcholine in small unilamellar bilayer vesicles and mixed monolayers (1190) 137
Mannu, F., see Turrini, F. (1190) 297
Margalit, A. and Granot, Y.
Endogenous hepoxilin A_3, produced under short duration of high shear-stress, inhibits thrombin-induced aggregation in human platelets (1190) 173
Márquez, J., see Medina, M.A. (1190) 20
McCarthy, M.P., see Moore, M.A. (1190) 457
Medina, M.A., Del Castillo-Olivares, A., Márquez, J. and Núñez de Castro, I.

Involvement of essential histidine residue(s) in the activity of Ehrlich cell plasma membrane NADH–ferricyanide oxidoreductase (1190) 20
Meneghini, E., see Hussain, S. (1190) 402
Meredith, D., see Helliwell, P.A. (1190) 430
Meyer, H.W., Richter, W. and Brezesinski, G.
Convex-concave curvatures in bilayers of dipalmitoylphosphatidylcholine and cholesterol induced by amphotericin B/deoxycholate after prolonged storage (1190) 9
Milner, H.E., Béliveau, R. and Jarvis, S.M. (1190) 185
Mir, L.M., see Belehradek Jr., J. (1190) 155
Miyazaki, K., see Sugawara, M. (1190) 85
Moldéus, P., see Boyer, C.S. (1190) 304
Monasse, B., see Santaella, C. (1190) 25
Montich, G.G., see Maggio, B. (1190) 137
Moore, G.A., see Boyer, C.S. (1190) 304
Moore, M.A. and McCarthy, M.P.
The effects of drugs on the incorporation of a conformationally-sensitive, hydrophobic probe into the ion channel of the nicotinic acetylcholine receptor (1190) 457
Moosmayer, M., see Hussain, S. (1190) 402
Morero, R.D., see Pedersen, J.Z. (1190) 177
Moser, C., see Hehl, S. (1190) 257
Müller, P., see Arbuzova, A. (1190) 360
Munson, S., see Kaune, R. (1190) 329

Nakamura, T., Komano, Y., Itaya, E., Tsukamoto, K., Tsuchiya, T. and Unemoto, T.
Cloning and sequencing of an Na^+/H^+ antiporter gene from the marine bacterium *Vibrio alginolyticus* (1190) 465
Nascimento, O.R., see Louro, S.R.W. (1190) 319
Neumcke, B., see Hehl, S. (1190) 257
Neve, E.P.A., see Boyer, C.S. (1190) 304
Núñez de Castro, I., see Medina, M.A. (1190) 20
Nylander, S., see Bamberg, K. (1190) 355

Ongpipattanakul, B., Francoeur, M.L. and Potts, R.O.
Polymorphism in stratum corneum lipids (1190) 115
Orlowski, S., see Belehradek Jr., J. (1190) 155

Paiement, J., Lavoie, C., Gavino, G.R. and Gavino, V.C.
Modulation of GTP-dependent fusion by linoleic and arachidonic acid in derivatives of rough endoplasmic reticulum from rat liver (1190) 199
Pearson, W.R., see Yu, H. (1190) 189
Pedersen, J.Z., De Arcuri, B.F., Morero, R.D. and Rufini, S.
Phospholipase-like myotoxins induce rapid membrane leakage of non-hydrolyzable ether-lipid liposomes (1190) 177
Peeters, T.L., see Backlund, B.-M. (1190) 337
Plášek, J., see Heřman, P. (1190) 1
Poddevin, B., see Belehradek Jr., J. (1190) 155
Pótó, L., see Belágyi, J. (1190) 123
Potts, R.O., see Ongpipattanakul, B. (1190) 115
Pron, G., see Belehradek Jr., J. (1190) 155

Ramirez, L.H., see Belehradek Jr., J. (1190) 155
Ratcliff, F.G. and Ehrenfeld, J.
Activation of osmotically-activated potassium transporters after injection of mRNA from A6 cells in *Xenopus* oocytes (1190) 248
Riahi-Esfahani, S., see Jessen, H. (1190) 279
Richter, W., see Meyer, H.W. (1190) 9
Riess, J.G., see Santaella, C. (1190) 25
Rigby, A.C., see Barber, K.R. (1190) 376
Rilfors, L., see Demel, R. (1190) 416
Røigaard, H., see Jessen, H. (1190) 279
Roth, M.R. and Welti, R.
Arrangement of phosphatidylethanolamine molecular species in *Escherichia coli* membranes and reconstituted lipids as determined by dimethyl suberimidate cross-linking of nearest neighbor lipids (1190) 91
Rufini, S., see Pedersen, J.Z. (1190) 177

Sachs, G., see Bamberg, K. (1190) 355
Saint-Macary, M., see Lançar-Benba, J. (1190) 213
Santaella, C., Vierling, P., Riess, J.G., Gulik-Krzywicki, T., Gulik, A. and Monasse, B.
Polymorphic phase behavior of perfluoroalkylated phosphatidylcholines (1190) 25
Schröder, G., see Wiese, A. (1190) 231
Seydel, U., see Wiese, A. (1190) 231
Sharom, F.J., see Loe, D.W. (1190) 72
Singh, A., see Coupaye-Gerard, B. (1190) 449
Slayman, C.L., Kuroda, H. and Ballarin-Denti, A.
Cation effluxes associated with the uptake of TPP^+, TPA^+, and $TPMP^+$ by *Neurospora*: evidence for a predominantly electroneutral influx process (1190) 57
Slayman, C.L., see Ballarin-Denti, A. (1190) 43
Slotte, J.P., Jungner, M., Vilchèze, C. and Bittman, R.
Effect of sterol side-chain structure on sterol–phosphatidylcholine interactions in monolayers and small unilamellar vesicles (1190) 435
Sorgenfrei, D., see Wagner, S. (1190) 309
Sugawara, M., Hashimoto, A., Toda, T., Takahashi, M., Kobayashi, M., Iseki, K. and Miyazaki, K.
Changes in the permeation rate of organic anions through the intestinal brush-border membrane with membrane surface potential (1190) 85
Svobodová, J., see Heřman, P. (1190) 1

Tabak, M., see Louro, S.R.W. (1190) 319
Takahashi, M., see Sugawara, M. (1190) 85
Takashima, S., see Asami, K. (1190) 129
Takeyasu, K., see Yu, H. (1190) 189
Tamura, H.-o., see Furukawa, Y. (1190) 273
Tikhonov, A.N., see Golovina, E.A. (1190) 385
Toda, T., see Sugawara, M. (1190) 85
Török, B., see Belágyi, J. (1190) 123
Tsuchiya, T., see Nakamura, T. (1190) 465
Tsukagoshi, N., see Hitomi, K. (1190) 469
Tsukamoto, K., see Nakamura, T. (1190) 465
Turrini, F., Mannu, F., Cappadoro, M., Ulliers, D., Giribaldi, G. and Arese, P.
Binding of naturally occurring antibodies to oxidatively and nonoxidatively modified erythrocyte band 3 (1190) 297

Ueda, I., Chiou, J.-S., Krishna, P.R. and Kamaya, H.
Local anesthetics destabilize lipid membranes by breaking hydration shell: infrared and calorimetry studies (1190) 421
Ulliers, D., see Turrini, F. (1190) 297
Unemoto, T., see Nakamura, T. (1190) 465

Vachon, V., see Delisle, M.-C. (1190) 289
Van Aarle, P.G.M., see Maccarrone, M. (1190) 164
Van Rooijen, N., see Litzinger, D.C. (1190) 99
Veldink, G.A., see Maccarrone, M. (1190) 164
Videira, R.A., see Antunes-Madeira, M.C. (1190) 149
Vierling, P., see Santaella, C. (1190) 25
Vilchèze, C., see Slotte, J.P. (1190) 435
Villalaín, J., see López-García, F. (1190) 264
Vliegenthart, J.F.G., see Maccarrone, M. (1190) 164
Volbracht, L., see Wagner, S. (1190) 309

Wagner, S., Wenzel-Seifert, K., Volbracht, L., Sorgenfrei, D. and Ebel, H.
Oleic acid inhibition of Na^+/D-glucose transport in isolated renal brush-border membranes: role of lipid physical parameters and *trans* Na^+-inhibition (1190) 309
Wang, Y., see Huang, W.-h. (1190) 108
Weik, R., see Hehl, S. (1190) 257
Welte, W., see Wiese, A. (1190) 231
Welti, R., see Roth, M.R. (1190) 91
Wenzel-Seifert, K., see Wagner, S. (1190) 309
Wheeler, T.J.
Accelerated net efflux of 3-*O*-methylglucose from rat adipocytes: a reevaluation (1190) 345
Wieczorek, H., see Gräf, R. (1190) 193
Wiese, A., Schröder, G., Brandenburg, K., Hirsch, A., Welte, W. and Seydel, U.
Influence of the lipid matrix on incorporation and function of LPS-free porin from *Paracoccus denitrificans* (1190) 231
Wikander, G., see Backlund, B.-M. (1190) 337
Wilson, D.M. and Wilson, T.H.
Transport properties of Asp-51 → Glu and Asp-120 → Glu mutants of the melibiose carrier of *Escherichia coli* (1190) 225
Wilson, T.H., see Wilson, D.M. (1190) 225
Wu, Y., see Ludtke, S.J. (1190) 181

Younus, M.J., Jouhal, K. and Butterworth, P.J.
Inhibition by cyclic AMP and phorbol esters of sodium-dependent uptake of phosphate by rat hepatocytes (1190) 444
Yu, H., Ishii, T., Pearson, W.R. and Takeyasu, K.
Primary structure of avian H^+/K^+-ATPase β-subunit (1190) 189
Yu, R.K., see Maggio, B. (1190) 137

Zolotarjova, N., see Huang, W.-h. (1190) 108